

1953-4-218-29

File No. 2017/36

B CLASS

1-2 W. DEPARTMENT

8 BRANCH (iii)

Subject:— Establishment.

Electrical Circle.

Sanction to additional.

✓

B K 1948

File No. 2017/36-8 (iii)

Std. Sect. Slip. 24 A

Correspondence

DOCKET SHEET

Subject :—

File No. 2017/36
P. W. DEPT.
8 (ii) BRANCH.

References :—

Date	To whom sent.	Notes and instructions.

Southern Electrical Division:
Opening of --

Government of Bombay.
Public Works Department.
Resolution No. 2017/36.
Bombay Castle, 4th December 1947.

Government Letter No.2017/36-III-E(I), dated the 24th April 1947, to the Electrical Engineer to Government.

"Reference: Your unofficial reference No.G.55/2260, dated the 14th August 1945.

"2. You are requested to submit fresh proposals for the separation of the Executive and Inspection work of the Electrical Department, if you still consider it necessary; the question of making the post of personal Assistant to the Executive Engineer, Electrical Division, and Electric Inspector, Bombay, permanent is held up pending decision on the former issue."

Electrical Engineer to Government's Letter No.G55/1690, dated the 11th August 1947.

"Reference: Government, Public Works Department, Letter No.2017/36-III(E) (I), dated the 24th April 1947.

"2. The work in the Electrical Department has increased enormously and it has now become almost physically impossible for one Divisional Officer to manage the executive and the inspection work carried out in the Electrical Division. In order to cope up with the work efficiently and expeditiously, it is now absolutely necessary to have two Divisional Officers.

"3. The distribution of work between the two Divisional Officers has been very carefully considered and it is now observed that the original proposal of separating the executive and inspection branches of the Electrical Department and placing them under two separate officers will neither be economical to Government nor will it lead to the desired efficiency. The main disadvantages of this scheme are-- (1).....

- (1) Both the officers will have to manage works spread over the whole Province and hence considerable time will be lost in touring done by the two officers over the extensive area.
- (2) The existing sub-divisional Officers who are also Assistant Electric Inspectors will have to work under two separate officers and there is bound to be a clash of duties on the Executive and Inspection sides.
- (3) The existing advantage that the executive and inspection works can be managed by the same subordinate officers on account of the works being located in the same area will be completely lost.
- (4) If the executive and inspection works are completely separated Government will have to bear heavy cost on account of additional establishment and extra touring over the same area by different officers.

"4. Taking the above drawbacks into consideration, I observe that the better method of distributing the work in the Electrical Division would be to have two separate Divisional Officers, (1) for the Northern Division to look after the Executive and inspection works from Bombay to Virangan, and (2) the other to look after the executive and inspection works in the Southern Division of the Province, with headquarters at Poona. The Executive Engineer, Northern Electrical Division, will have the existing Bombay and Ahmedabad Sub-divisions under him, while the Executive Engineer, Southern Electrical Division, will have the Poona and Nasik-Khandesh Electrical Sub-divisions under him. This scheme will undoubtedly become more economical and will lead to more efficiency and more expeditious disposal of work, both executive and inspection.

"5. It may be pointed out here that the work in the Poona Sub-division ^{has} increased considerably and in view of the many important Post-war works which are to be carried out in that area, it is necessary to open another sub-division with headquarters.....

headquarters in Belgaum, which will look after the executive and inspection works in the southern most Districts of the Province., viz. Belgaum, Dharwar, Bijapur and Kanara
 Kanara.

"6. Statement "A" * showing the existing and the additional establishment required and the average cost thereof in connection with the above proposal, is enclosed. Statement "B" * is enclosed, ~~showing~~ showing the existing establishment and also the additional establishment that would have been necessary in connection with the proposal to separate the * executive ~~and inspection~~ and inspection charges, from which it will be observed that the present proposal is economically more feasible than the former. Statement "C" * is enclosed, showing the division of the work in the Electrical Circle into two Executive Divisions.

"7. If the above proposal is approved, the following additional establishment will be necessary: -

1 Executive Engineer & Electrical Inspector.	} for the Divisional Office, Poona, at an average cost of Rs. 2,477/4 per month.
1 Accountant.	
1 Head Clerk -	
11 Clerks.	
1 Draftsman.	
1 Assistant Draftsman.	
1 Tracer.	
1 Store-keeper.	
2 Stores Clerks.	
1 Naik.	
5 Peons.	
1 Deputy Engineer & Asstt. Elec. Inspector.	} for the proposed Sub- divisional Office, Belgaum, at an average cost of Rs. 446-2-8 per month.-
2 Sub-divisional Clerk.	
1 Tracer.	
2 Peons.	

"8. I would like to point out that the revenue collected by the Electrical Department is increasing steadily and continuously along with the work, as will be seen from the following figures for different years:....

following figures for different years:-

1938-39		Rs. 1,64,996
1939-40		Rs. 2,11,623
1940-41		Rs. 2,23,820
1941-42		Rs. 2,28,612
1942-43		Rs. 2,39,413
1943-44		Rs. 2,80,879
1944-45		Rs. 3,72,915
1945-46		Rs. 4,91,371
1946-47		Rs. 4,94,917

The cost on account of the additional establishment is, therefore very small in comparison with the increase in the revenue. The additional establishment is absolutely necessary for the efficient management of the Government works and also for facilitating prompt and regular inspections, thereby preventing any loss of revenue to Government.

"9. A map showing the Divisional and Sub-divisional charges as now proposed is enclosed for information, and it is earnestly requested that Government will be pleased to take immediate steps to approve the above scheme and sanction the additional establishment proposed therein."

RESOLUTION.- The Government of Bombay is pleased to direct that a new Division called the Southern Electrical Division with Head Quarters at Poona, and a new Sub-division called the Electric Sub-division, Solgaum, be opened under the Electrical Engineer to Government for a period of two years in the first instance.

2. In addition to the new Sub-division, the existing two Sub-divisions, viz., the Electric Sub-division, Poona, and the Nasik Khandesh Electric Sub-division, Nasik, should be transferred from the existing Division to the New Division.

The existing Electrical Division should, hereafter, be known as the Northern Electrical Division, and the existing two Sub-divisions, viz., the Bombay Electrical Sub-division and Ahmedabad Electrical Sub-division to will remain under it.

3. The following staff is sanctioned for the Southern Electrical Division and the Electric Sub-division, Solgaum,
on the....

on the understanding that the position will be fully reviewed on the expiry of the proposed period of two years.

Staff for the New Divisional Office.

<u>Establishment.</u>	<u>Scales of pay.</u> Rs.
1 Executive Engineer and Electrical Inspector:.....	510-30-660-40-1020
1 Account.	Sanctioned scale.
1 Head Clerk.	115- 5-160
11 Clerks-	
1 clerk.	95- 5-115
6 clerks.	70- 5- 95
4 clerks.	25-5/2-65.
1 Draftsman.	90-5/2-140
1 Assistant Draftsman.	50-5/2- 90
1 Tracer	25-2-55-3-70.
1 Store-keeper.	40-4-80-5/2-120
2 Store Clerks.	25-5/2-65.
1 Maik. }	Sanctioned rates.
5 Peons.)	

Staff for the New Sub-division.

<u>Establishment.</u>	<u>Scales of pay.</u> Rs.
1 Deputy Engineer and Assistant Electrical Inspector.	170-10-250-15-400-20-500-
1 Sub-divisional Clerk.	25-5/2-65.
1 Tracer.	25-555-3-70.
2 Peons -	
1 Peon. }	Sanctioned rates.
1 Peon. }	

2. The cost on account of the above orders should be debited to the head "50-Civil Works - Establishment (Ordinary)". The Electrical Engineer to Government should apply early in February 1948 for the funds required during the current year.

By order of the Governor of Bombay,

Sd/-

(D. A. GADKARY),
Deputy Secretary to Government.

G.R. No. 2017/36, P.W.D. dated the 4th December 1947.

To

All Departments of the Secretariat.

The Superintending Engineers of Circles.

The Electrical Commissioner with the Government of Bombay;

The Public.....

The Public Health Engineer to Government.

The Electrical Engineer to Government.

The Accountant General, Bombay (through the Finance Deptt).

The Executive Engineer, Electrical Division.

and other Executive Engineers of Divisions.

No. .

of 1947.

Copy forwarded for information and guidance to

Id
5-12-47.

Issued
5-12-47

IX

Letter.

2017/36/21377

No. 2017/36-III-E(I)1

P.W.D.

B.C., 29th May 1948.

To

The Electrical Engr. to Govt.

Subject:- Creation of an addl. Electrical
Sub-Division in Bombay.

Reference: Your letter No. G-55/4603, dated the
30-2-1948.

Since remarked
"Bombay City El.
Sub-Division

"Bombay Suburban
El. Sub-Division
Vide G.L. No.
017/36-E dt. the
23-6-49

2. Govt. is pleased to direct that the Electrical Sub-Dn. Bombay, should be split into two Sub-Dns., Viz., Electrical Sub-Dn., Bombay (South and Electrical Sub-Dn. (North), and to sanction the following estabts. for the purpose:-

<u>Establishments.</u>	<u>Scale of pay</u> Rs.
1. Deputy Engineer.	B. S. E. Class II scale.
2. El. Supervisors.	100-12-460
1 Clerk	92- 8-140
1. Typist.	46-3-85-4-105
2 Tracers.	-do-
2. Peons.	35-1/2-40.

3. The new Sub-Dn. is sanctioned for the period ending the 28-2-1949 in the first instance. You should make out a case for its permanency in due course.

4. Sanction is also accorded to the creation of two addl. posts of El. Supervisors in the sanctd. scale as shown below for the period ending the 28-2-1949:-

1. El. Supervisor for ~~Mt~~ Ratnagiri under the
Control of the Poona Sub-Dn.

1. El. Supervisor for Thana under the Electrical
Inspector, ~~Mumbai~~ Bombay.

5. The extra cost involved on account of the above orders should be debited to the head "50-C.W.Estabts. (Ordy.)". You are requested to apply early in July

1948.....

1948 for the funds required during the current financial year,
specifically according to primary and secondary units,

Id
1/5/48.

By order etc.

D.A.-Nil.

Copy forwarded to:-

the F.D.,

the A.G., Bombay (through the F.D.),

the Ex. Engr., El. Dn.,

for information

- Id
1/5/48

Letter.

No. 9663/36-E(I).

Public Works Department,
Bombay Castle, 28th July 1948.

To

The Electrical Engineer to Government.

Subjects- Opening of a Sub-Division at Miraj for
Collecting information in regard to
Electric Supply in the merged Deccan
States.

Reference: Correspondence ending with your un-offi-
cial reference No.G.2a/1177, dated the 15th June 1948.

2. Government is pleased to sanction the creation of a
Sub-Division in the Electrical Circle with Head Quarters
at Miraj for the period ending the 28th February 1949,
in the first instance, for collecting the following in-
formation in respect of the merged Deccan States:-

- (a) Rules and conditions under which licenses are granted
- (b) Number of motive power consumers and number of inspe-
ctions to be carried out.
- (c) Total number of States Buildings with electric insta-
llations as also State owned Electric Power
House, etc. and whether these works are to be main-
tained by Government.

The establishment mentioned below is sanctioned for the
Sub-Division:-

<u>Establishment.</u>	<u>Pay - Scale</u> Rs.
1 Deputy Engineer	Bombay Service of Engineers Class F II scale.
2 Supervisors.	100-12-208-E.B.-12-352-E.B.-12-460.
1 Clerk.	92- 8-140.
2 Clerks.	46- 3- 85-E.B.-4-105
2 Peons.	Sanctioned scales.

3. The extra cost involved on account of the above
establishment should be debited to the head "50-Civil Works
Provincial - (Ordinary)*. You are requested to apply early
early

early in January 1949 for funds required during the current financial year, separately for this establishment, specifically according to primary and secondary units.

4. You are also requested to maintain separate accounts for any expenditure incurred in connection with the merged States.

By Order of the Governor
Of Bombay,

Sd/-

D.A.-Nil.

(B. S. Vyas),

Secretary to the Government of Bombay,
Public Works Department.

Copy forwarded to -

The Political and Services Department,
the Finance Department,
the Health and Local Government Department,
the Accountant General, Bombay (through the
Finance Department),
the Superintending Engineers of Circles,
the Public Health Engineer to Government.

for information.

HLK

Extract paragraph 2 of letter No.G.55/601, dated the 26th April 1949, from the Electrical Engineer to Government, to the Secretary to Government, Public Works Department, Bombay, regarding opening of the Southern Electrical Division at Poona.

* X

X

X.

2. The new Southern Electrical Division, sanctioned in the above-mentioned Government Resolution, has since been opened in Ichalkaranjekar's Wada, Poona, 2, on the 4th April 1949, and it is requested that the opening of the new Southern Electrical Division may please be notified in the Bombay Government Gazette for the information of all the Secretariat Departments.*.

No.2017/36-III-E(I).

Public Works Department,
Bombay Castle, 4th June 1949.

Copy forwarded to -

all Departments of the Secretariat,

the Superintending Engineers of Circles (including the Superintending Engineer, Village Water supply and Village Schools),

the Electrical Commissioner with the Government of Bombay,

the Public Health Engineer to Government,

the Accountant General, Bombay,

~~the Executive Engineer, Bombay~~

the Executive Engineer, Northern Electrical Division,

the Executive Engineer, Southern Electrical Division.

All other Executive Engineers of Divisions.

for information.

By order of the Governor of Bombay

Sd/- 7-6-49

(B. S. Vyas),

For Secretary to the Government of Bombay,
Public Works Department.

Issued
8/6

Letter.

P. W. D.

No. 2017/36-III-E(I).

B.C., 25th July 1949.

To

The El. Engr. to Govt.

Subject:- Continuance of the tempy. estabt.

.....

Reference: Your letter No. G.55/2334, dated the
30-6-49.

2. The tempy. estabt. sanctioned in G.L. No. 2017/36-III-E(I), dated the 29-5-48, should be continued further for a period of one year ending the 26-2-50. Your action in continuing the estabt. in question beyond the 28-2-49 in anticipation of Govt. sanction is approved.

3. You are requested to explain why the proposal for the continuance of the estabt. refed. to above during the year 1949-50 was not submitted to Govt. in good time before the expiry of the last sanctioned period, i.e., before the 28-2-49, and why it was not submitted to Govt. for four months thereafter.

By order of the G. of B.,

Copy forwarded to -

the F.D.,

the A.G. Bombay. (through the F.D.),

the Ex. Engr., Northern Electrical Dn.,

for information with reference to Govt. ordt. No. 2017/36-III-E(I), dated the 29-5-48.

Id

19-7-49.

Id

19/7

Id 20/7

NLK

